



Solvipurity

ANALYTICAL LABORATORY · REYKJAVÍK, IS

SVP-2026-00313

ISSUED 2026-03-16 · ACCREDITATION AL-1142  
ISO/IEC 17025 · GMP · GLP

## CERTIFICATE OF ANALYSIS



AUTHENTIC

## GHRP-2.5mg

Björn Healthcare ehf. · Sterile lyophilizate, 5 mg per 3 ml clear glass vial, rubber s  
topper + aluminium flip-off (white cake)

REPRESENTATIVE CHROMATOGRAM · HPLC-UV 205 NM



## BATCH NO.

BJRN-205HJMT

## ANALYTICAL METHODS

RP-HPLC-UV 220 nm · LC-ESI-MS · AAA  
(amino acid analysis) · Ion chromatography  
(counter-ion) · Karl Fischer 2.5.32 · GC-MS  
(headspace) · ICP-MS · Kinetic chromogenic  
LAL 2.6.14 · Ph. Eur. 2.6.1 sterility · Ph. Eur. 2.6.12  
microbial limits

## MANUFACTURED

2026-05-21

## EXPIRY

2028-02-21

## RECEIVED

2026-03-16

## RELEASE

2026-03-16

## DECLARED COMPOSITION

GHRP-2.5mg — synthetic peptide; sequence: D-Ala-D-2-Nal-Ala-Trp-D-Phe-Lys-NH<sub>2</sub>; CAS  
158861-67-7; theoretical MW 817.99 Da

## Analytical results

19 TESTS · ALL METHODS VALIDATED

| SUBSTANCE / PARAMETER  | RESULT   | LOQ | LIMIT   | METHOD                     |
|--|--|-----|---|----------------------------|
| ● Appearance — sterile lyophilized<br>cake, white to off-white | Conforms   | —   | homogeneous white<br>cake, no<br>particulates | Visual                     |
| ● Solubility (water for injection, 2<br>mg/ml, 25 °C)          | Complete<br>within 60 s —<br>clear<br>colourless<br>solution | —   | Clear, no visible<br>particles                | Visual (Ph.<br>Eur. 2.2.1) |

| Identification — HPLC retention time             | Matches reference                   | —           | ±2.0 % of ref                    | RP-HPLC-UV<br>220 nm<br>SVP-2026-00313 +        |
|--|-------------------------------------|-------------|----------------------------------|---|
| Identification — sequence / mass match           | <b>Confirmed</b><br>CAS 158861-67-7 | —           | Match theoretical within ±1 Da   | LC-ESI-MS                                       |
| Molecular weight (measured)                      | <b>817.91 Da</b><br>Δ = -0.08 Da    | 0.5 Da      | 817.99 Da ± 1.0 Da (theoretical) | ESI-MS  |
| Chromatographic purity (main peak)               | <b>98.49 %</b>                      | 0.05 %      | ≥ 98.0 %                         | RP-HPLC-UV<br>220 nm                            |
| Any single impurity (max)                        | <b>0.32 %</b>                       | 0.05 %      | ≤ 1.00 %                         | RP-HPLC-UV<br>220 nm                            |
| Peptide content (amino acid analysis)            | <b>91.8 % w/w</b>                   | 0.5 %       | ≥ 80.0 % w/w                     | AAA (6 N HCl,<br>110 °C, 24 h)                  |
| Trifluoroacetate (TFA counter-ion)               | <b>0.31 % w/w</b>                   | 0.05 %      | ≤ 1.00 % w/w                     | IC (ion chromatography)                         |
| Water content (Karl Fischer)                     | <b>3.84 % w/w</b>                   | 0.1 %       | ≤ 5.0 % w/w                      | Ph. Eur.<br>2.5.32                              |
| Residual acetonitrile                            | <b>286 ppm</b>                      | 10 ppm      | ≤ 410 ppm (ICH Q3C Class 2)      | GC-MS<br>(headspace)                            |
| Residual DMF                                     | <b>141 ppm</b>                      | 10 ppm      | ≤ 880 ppm (ICH Q3C Class 2)      | GC-MS<br>(headspace)                            |
| Lead (Pb)  | <b>0.101 ppm</b>                    | 0.02 ppm    | ≤ 0.5 ppm (ICH Q3D parenteral)   | ICP-MS  |
| Arsenic + Cadmium + Mercury (total)              | <b>0.156 ppm</b>                    | 0.02 ppm    | ≤ 1.5 ppm (ICH Q3D parenteral)   | ICP-MS  |
| Bacterial endotoxins (LAL)                       | <b>1.78 EU/mg</b>                   | 0.125 EU/mg | < 10.0 EU/mg                     | Kinetic chromogenic LAL (Ph. Eur. 2.6.14)       |
| TAMC (aerobic bacteria, pre-lyophilization bulk) | <b>6 CFU/g</b>                      | 1 CFU/g     | ≤ 10 <sup>2</sup> CFU/g          | Ph. Eur.<br>2.6.12                              |
| TYMC (yeast / molds, pre-lyophilization bulk)    | <b>0 CFU/g</b>                      | 1 CFU/g     | ≤ 10 <sup>1</sup> CFU/g          | Ph. Eur.<br>2.6.12                              |
| Sterility (final lyophilized vial)               | <b>Complies – no growth</b>         | —           | No growth, 14 d incubation       | Ph. Eur. 2.6.1 (direct inoculation)             |
| Container closure integrity                      | <b>Pass</b>                         | —           | No dye uptake                    | Dye ingress (0.05 % methylene blue, 2 h vacuum) |



